Service contents - Enterprise Plan

Feature	Description
Customer User	A cidaas Customer User provides the possibility to manage information about a user, the authentication procedures and permissions.
Deduplication / Identity Linking	The cidaas Identity Linking allows to link different identities of a user, e.g. from two different social providers or two already registered user accounts.
Advanced Multi-Factor-Authentication	Multi-factor authentication (MFA), also known as two-factor authentication (2FA), has become one of the most important tools for protecting data.
Passwordless Authentication	The passwordless authentication procedure enables a user to be authenticated without a password, e.g., using alternative authentication methods such as biometrics or push methods.
FDS Reporting	cidaas Fraud Detection (FDS) is an integrated functionality for detecting identity theft, bot attacks and more.
JWE	JWE (JSON Web Encryption) - is a standard for encrypting JWT.
Progressive Profiling	Progressive profiling collects step-by-step and contextual user data after initial registration. It helps make re-registration smoother for customers while optimizing the data available.
Login Provider	cidaas enables the integration of various other Identity Providers (IDP). We call these "Login Providers". This allows a person to authenticate or register with his/her user identity from another system in cidaas - and therewith in your applications.
Hosted Pages	cidaas enables with the Hosted Pages concept the customizing of different user interfaces, e.g. the login UI.

User Group	A cidaas User Group offers the possibility to group multiple user accounts (Customer User) with the goal to manage business or technical contexts, information and permissions in a structured way. In particular, it is about adding, removing and changing roles in a group. • Roles and rights can be bundled in a group and applied to a user. • Through group management, people can belong to several different groups, such as the project manager group, and thus be easily assigned. • Hierarchies can be mapped via groups, sub-groups. • In addition, further specific attributes can be added configuratively to groups and users.
Advanced Webhooks	Contains all important events and webhooks from cidaas.
Apps	A cidaas app represents an OAuth2/OIDC client and is an integration to an application. • OAuth Specification: https:/datatracker.ietf.org/doc/html/rfc6749 • OpenID Connect: https:/openid.net/connect/
Consent Page	cidaas offers an advanced and GDPR compliant consent management, which provides the possibility to collect consent during login, registration, progressive profiling or based on actions. Users can accept or reject privacy policies, or terms and conditions directly during registration. In the user profile, users can revisit their consents at any time and edit them if necessary (consent/revocation). https://docs.cidaas.com/docs/cidaas-iam/01dcb43dd176a-consents-and-consent-groups
Kick-Off Meeting	1-hour meeting for project launch.
Platinum Support 1x	7 days a week the response time is 2 hours.
Test environment 1x	Identical scope of services as in the cidaas plan.

Quotas

50 Apps	2.000.000 User	2.000 Groups
10 Consents	8 Hosted Pages	20 Login Provider

Functional Features:	https://www.cidaas.com/features/
cidaas docs & apis:	https://docs.cidaas.com/
Terms of use/AVV:	https://www.cidaas.com/terms-of-use/